



飞翔膜结构
FEIXIANGMOJIEGOU



地址：山东省潍坊市临朐县太平工业园666号

电话：15662553259

邮箱：tanwenchao1134@gmail.com

网址：www.sdmojiegou.com

Address: No. 666, Taiping Industrial Park, Linqu County, Weifang City, Shandong Province, China

Phone: +86 15662553259

Email: tanwenchao1134@gmail.com

Website: www.sdmojiegou.com

Whatsapp: +393444836783



潍坊飞翔环境工程有限公司

Weifang Feixiang Environmental Engineering Co., Ltd.



—— 专业提供制造、设计、采购等服务

Specializing in manufacturing, design, procurement and other services

中国 ◆ 潍坊

China ◆ Weifang

Company

◆公司简介 Profile

飞翔环境成立于2010年。是一家专门从事大型户外帐篷设计加工的企业。我们的产品出口到世界30多个国家和地区，受到英国，西班牙，法国，德国，美国，迪拜，巴西等世界各国人民的喜爱。我们的产品吸收了国际主流产品优点，与世界风格同步。我们希望为世界各地更多的客户提供我们的服务。我们考虑客户的利益，以客户的需求为中心，与飞翔合作，您将获得合格的产品、良好的服务，同时您将拥有一个不断发展的产品平台。

Feixiang Environmengtal was established in 2010. It is an enterprise specializing in the design and processing of large outdoor tents. Our products are exported to more than 30 countries and regions in the world, and are loved by people from Britain, Spain, France, Germany, the United States, Dubai, Brazil and so on. Our products have absorbed the advantages of international mainstream products and synchronized with the world style. We hope to provide our services to more customers all over the world. We consider the interests of customers and focus on the needs of customers. Cooperating with Feixiang, you will get qualified products and good services, and you will have a continuously developing product platform.

Tent


◆篷房简介 Profile

我公司采用了欧洲先进的篷房技术，其主体框架为高强度特制中空铝合金结构，连接部分采用国际焊接技术钢结构可调解式基座可以弥补场地的不平，PVC 篷布具有不拉伸,防雨，防紫外线，自洁及不透光的良好性能，防火等级到达国家B1级别(相当欧洲的M2级)，阻燃，离火三秒自灭，抗风等级达到80-100公里/小时。

我公司篷房具有体积小，储存方便,拆装灵活,易运输,无污染绿色环保等特点,安全性能可靠。现有篷房系列为连体篷房，尖顶篷房，组合篷房。另外我们可以根据您的需求度身定制,为您的活动提供全方位的解决方案。

Our company chose the European advanced tents technology for our tent series, its main framework for the special high-strength aluminum hollow structure, connecting part chose the international steel welding technology, adjustable base is able to use for uneven grounds. PVC cover has good performance for none loose, waterproof, UV protection, self-cleaning and blackout, the B1 fire rating reaches the national level (equivalent to European M2, fire retardant, self-extinguishing after three seconds burning, and also the windproof level reaches to 80-100 km/hour. Our tents are dismantlable, so it's easy to storage, removable, transport, and also comes with pollution-free, safe and reliable performance. Our tent series are including clear-span series, pagoda series, combination series etc. In addition, we can provide perfect solutions for your needs.






目录 CONTENT

Preface前言	pg1--4
A small tent with a roof小型活动篷房	pg5--6
A-top medium-sized tent中型活动篷房	pg7--8
A-large tent with a roof大型活动篷房	pg9--10
Curved tents弧形篷房	pg11--12
Steel structure tent钢结构篷房	pg13--14
Polygonal tents多边形篷房	pg15--16
Specially designed tents特殊造型篷房	pg17--18
Curved arc exhibition tent弧形展览篷房	pg19--20
Multilateral vaulted tentss多边形拱形篷房	pg21--22
Pagoda tents宝塔篷房	pg23--24
Spherical tents球形篷房	pg25--26
Inflatable tents气模篷房	pg27--28
Scene function场景功能	pg29--30
Accessories are available配件可选	pg31--34

Tents for small events and exhibitions



FX-A small tent with a roof




1.A-shape tent is our most classic and popular option since it's easy to install and most cost effective. It's widely used in various of events, industrial or commercial applications with all clear span without any interior poles.

2.These A-shape tents adopt high pressed extruded aluminum 6061/T6 , which could be used for 15-20 years, while the joints or connectors are made of strong Hot-DIP galvanized steel Q235. They are easy to set up and dismantle as well as convenient to stock and transport.



框架图constructure profile



A Shape Tent					
Width(M)	Bay Distance(M)	Eave Height(M)	Ridge Height(M)	Main Profile	Max. Wind Loading
6	3	2.5	3.6	48*84*3mm	120km/h
8	3	2.5	3.9	48*100*3mm	120km/h
10	5	3	4.8	68*122*3mm	120km/h
12	5	3	5.1	68*122*3mm	120km/h
15	5	4	6.3	150*108*3mm	120km/h
18	5	4	6.8	150*108*3mm	120km/h

The most experienced professional designed




FX-A-top medium-sized tent

1.A-shape tent is our most classic and popular option since it's easy to install and most cost effective. It's widely used in various of events, industrial or commercial applications with all clear span without any interior poles.



2.These A-shape tents adopt high pressed extruded aluminum 6061/T6 , which could be used for 15-20 years, while the joints or connectors are made of strong Hot-DIP galvanized steel Q235. They are easy to set up and dismantle as well as convenient to stock and transport.



潍坊飞翔环境工程有限公司
Weifang Feixiang Environmental Engineering Co., Ltd.



框架图constructure profile



A Shape Tent					
Width(M)	Bay Distance(M)	Eave Height(M)	Ridge Height(M)	Main Profile	Max. Wind Loading
6	3	2.5	3.6	48*84*3mm	120km/h
8	3	2.5	3.9	48*100*3mm	120km/h
10	5	3	4.8	68*122*3mm	120km/h
12	5	3	5.1	68*122*3mm	120km/h
15	5	4	6.3	150*108*3mm	120km/h
18	5	4	6.8	150*108*3mm	120km/h

Big tent Strong structures




FX-A large tent with a roof

1.A-shape tent is our most classic and popular option since it's easy to install and most cost effective. It's widely used in various of events, industrial or commercial applications with all clear span without any interior poles.



2.These A-shape tents adopt high pressed extruded aluminum 6061/T6 , which could be used for 15-20 years, while the joints or connectors are made of strong Hot-DIP galvanized steel Q235. They are easy to set up and dismantle as well as convenient to stock and transport.



潍坊飞翔环境工程有限公司
Weifang Feixiang Environmental Engineering Co., Ltd.



框架图constructure profile



A Shape Tent

Width(M)	Bay Distance(M)	Eave Height(M)	Ridge Height(M)	Main Profile	Max. Wind Loading
20	5	4	7.1	203*112*4mm	120km/h
25	5	4	7.9	252*112*4mm	120km/h
30	5	4	8.6	256*120*4.5mm	120km/h
35	5	4	9.4	300*120*5mm	120km/h
40	5	4	10.2	350*120*5mm	120km/h
50	5	4	11.7	350*120*5mm	120km/h

The curved tent is beautifully designed for you




FX-Curved tents

1. Arch Roof Party Tent is a kind of luxury, beautiful and mobility marquee tent, and its very popular products in all kind of tents. It has a more attractive appearance than "A" shape tent and is very suitable for outdoor activities. Such as tent for weddings party, Trade meetings, Car Show, Big exhibition, Hotel Reception, Golf resort, Sport hall, Outdoor competition etc.



2. Arcum Tent can be decorated with graceful arc roof linings, window curtains, lights and build a temporary VIP room or rest room, no poles inside, 100% interior space can be used.



潍坊飞翔环境工程有限公司
Weifang Feixiang Environmental Engineering Co., Ltd.



框架图constructure profile




Arch Roof Tent					
Width(M)	Bay Distance(M)	Eave Height(M)	Main Profile	Roof Purlin	Max. Wind Loading
6	3	2.5	48*84*3mm	40*40*2mm	120km/h
8	3	2.5	48*100*3mm	40*40*2mm	120km/h
10	5	3	68*122*3mm	60*60*2mm	120km/h
12	5	3	68*122*3mm	60*60*2mm	120km/h
15	5	4	150*108*3mm	60*60*2mm	120km/h
18	5	4	150*108*3mm	60*60*2mm	120km/h
20	5	4	203*112*4mm	60*60*2mm	120km/h
25	5	4	252*112*4mm	60*60*2mm	120km/h
30	5	4	256*120*4.5mm	60*60*2mm	120km/h
35	5	4	300*120*5mm	60*60*2mm	120km/h
40	5	4	350*120*5mm	60*60*2mm	120km/h
50	5	4	350*120*5mm	60*60*2mm	120km/h

Beautifully architecturally fixed design





FX-Steel structure tent

1. Steel structure profiles and members are designed by experienced engineers in FeiXiang. They are manufactured in our facilities on the principle of optimal strength, easy installation, transportability, and better life expectancy.
2. Calculations of static equilibrium and material strength, cutting and bending of profiles, welding of pieces together, painting and coating of profiles are all done in our facilities. Every phase of the manufacturing process is tested and proven to ensure the product quality and reliability offered by Liansheng.



框架图constructure profile



Mutil-side tent,polygonal design




FX-Polygonal tents

1.Multi-sides tent can be used alone or in conjunction with regular A-shaped tents. Pagoda tents become a mix tent to suit your needs. It is widely used as a fashion week, hotel residence, VIP lounge, large wedding events, wedding parties, etc. The installation and disassembly process is easy and time-consuming, either as a temporary structure or as a permanent building.



2.Clear span width has a wide range from 6m – 35m, Full line accessories are compatible for this series.



潍坊飞翔环境工程有限公司
Weifang Feixiang Environmental Engineering Co., Ltd.



框架图constructure profile



Beautifully designed to meet your needs




FX-Specially designed tents

- 1.The frame of this tent is made of high-quality aluminum alloy profiles, which has a higher height than other styles.
- 2.Because of its unique and novel design style, it is very popular among wedding parties. Often used at wedding venues.
- 3.Inside the frame, you can choose to add internal columns or not according to requirements. It is a tent that is very suitable for weddings.
- 4.The size of the product can be customized and has a wide range of applications.





潍坊飞翔环境工程有限公司

Weifang Feixiang Environmental Engineering Co., Ltd.



框架图constructure profile



Arch Roof Tent					
Width(M)	Bay Distance(M)	Eave Height(M)	Main Profile	Roof Purlin	Max. Wind Loading
6	3	2.5	48*84*3mm	40*40*2mm	120km/h
8	3	2.5	48*100*3mm	40*40*2mm	120km/h
10	5	3	68*122*3mm	60*60*2mm	120km/h
12	5	3	68*122*3mm	60*60*2mm	120km/h
15	5	4	150*108*3mm	60*60*2mm	120km/h
18	5	4	150*108*3mm	60*60*2mm	120km/h
20	5	4	203*112*4mm	60*60*2mm	120km/h
25	5	4	252*112*4mm	60*60*2mm	120km/h
30	5	4	256*120*4.5mm	60*60*2mm	120km/h
35	5	4	300*120*5mm	60*60*2mm	120km/h
40	5	4	350*120*5mm	60*60*2mm	120km/h
50	5	4	350*120*5mm	60*60*2mm	120km/h

Curved tent large indoor space




FX-Curved arc exhibition tent


- 1.TFS curve tent is a new type of modular structure tent. With the modular structure, It is easy to install, dismantle, move, and expand to construct temporary or permanent buildings.
- 2.Curve tent' s clear-span design allows for maximum 100% use of the interior space. The curved roof beam makes the tent can withstand more heavy snow, wind, and rain loads of 120 KM/h wind speed and 0.4KN/M2 snow loading.
- 3.It is widely used for exhibition hall, stadium hall, various sports courts, big event hall, party, and weddings.



潍坊飞翔环境工程有限公司
Weifang Feixiang Environmental Engineering Co., Ltd.



框架图constructure profile



Polygon tents for large events




FX-Polygon tents



1. Polygon Roof Tent provides the elegant and luxurious looking tent design and it is widely used for wedding tents, big parties, corporate or social events, concert halls.

2. Also, the polygonal roof design makes the tent much durable for wind, its top is more capacious and higher for sports like tennis court or basket ball, and warehouse for storage. It is a ideal choice Sports Halls tent and warehouse tent.

3. The advantage of the polygon roof tent is that no matter what you need a large site, it can be satisfied. The span width of our polygonal roof tents are from 10m to 50m and the length has no limitation. Length can be any times of 3m, 5m modular. There is no pole inside the tent, which enables you to make maximum use of the space inside.



框架图constructure profile



Polygon Roof Tent					
Width(M)	Bay Distance(M)	Eave Height(M)	Main Profile	Roof Purlin	Max. Wind Loading
10	3	2.5	48*84*3mm	40*40*2mm	120km/h
12	3	2.5	48*100*3mm	40*40*2mm	120km/h
15	5	3	68*122*3mm	60*60*2mm	120km/h
18	5	3	68*122*3mm	60*60*2mm	120km/h
20	5	4	150*108*3mm	60*60*2mm	120km/h
25	5	4	150*108*3mm	60*60*2mm	120km/h
30	5	4	203*112*4mm	60*60*2mm	120km/h
35	5	4	252*112*4mm	60*60*2mm	120km/h
40	5	4	256*120*4.5mm	60*60*2mm	120km/h
50	5	4	300*120*5mm	60*60*2mm	120km/h

A pagoda tent suitable for gatherings



潍坊飞翔环境工程有限公司


Weifang Feixiang Environmental Engineering Co., Ltd.



FX-Pagoda tents

框架图constructure profile

1. Pagoda Tent, also known as High peak marquee Tent.
2. Our pagoda tents are freestanding roof structures that areas supported by aluminum frames and have no center poles for 100% space usage, they can be fixed to grass, gravel or any hard surface and are designed to withstand the most inclement of weather.
3. Standard pagoda tents are available in many different sizes as 3m×3m, 4m×4m, 5m×5m, 6m×6m, 8m×8m, 9m×9m, 10m×10m and it also can be customized to suit your needs.



C3x3



C4x4



C5x5



C6x6



C8x8



C10x10

Length	Width	Eave	Ridge	Main Profile
3m/9.84'	3m/9.84'	2.5m/8.20'	4.2m/13.78'	65*65*3mm
4m/13.12'	4m/13.12'	2.5m/8.20'	4.8m/15.75'	65*65*3mm
5m/16.40'	5m/16.40'	2.5m/8.20'	5.4m/17.06'	65*65*3mm
6m/19.68'	6m/19.68'	2.5m/8.20'	5.9m/19.02'	65*65*3mm
8m/26.5'	4m/13.12'	2.6m/8.53'	6.4m/21'	122*68*3mm
10m/32.8'	5m/16.4'	2.6m/8.53'	6.8m/22.6'	122*68*3mm

A spherical tent for gatherings



FX-Spherical tents

1.Geodesic dome tent size can be from 3 meters diameter to 45 meters diameter, there are also some optional accessories to decorate the tent for different application, such as the ventilation system, insulation film, skylight window, wooden floor etc. Also there are some versatile design, like transparent front, opaque PVC fabric, exchangeable clear PVC for skylight. Logo print or fully color printed fabric.


2.The durable, robust and reliable framework allows for the suspension of additional equipment such as lighting or sound systems. When combined with different structures the possibilities of arranging the event are simply endless.

3.With these advantages, it has a widely application, such as outdoor parties, exhibition, glamping, trade shows, temporary meeting, wedding hall, etc.




潍坊飞翔环境工程有限公司

Weifang Feixiang Environmental Engineering Co., Ltd.



数据内容Data content

Diameter	Floor space	height	Tube size	weight
3m	7.68㎡	1.77m	Φ25*1.5mm	115
4m	12.56㎡	2.36m		194
5m	19.63㎡	2.95m		274
6m	28.27㎡	3.54m		321
7m	38.48㎡	4.13m		395
8m	50.26㎡	4.72m		445
10m	78.53㎡	5.9m	Φ32*2.0mm	610
12m	113.09㎡	6m		1210
15m	176.71㎡	7.5m		2100
20m	314.15㎡	10m	Φ42*2.0mm	3640
25m	490.87㎡	12.5m		4546
30m	706.85㎡	15m	Φ48*2.0mm 内置40根加固管	11986
35m	962.11㎡	17.5m		
40m	1256.63㎡	20m	Φ60*2.5mm 内置48根加固管	25300
45m	1590.43㎡	22.5m		
50m	1963.49㎡	25m		



Inflatable tents for large venues




FX-Inflatable tents

1.Our air domes are designed for all areas of professional and recreational sports activities throughout the year and can roof football fields, athletic areas, ice hockey rinks, tennis courts and swimming pools. Thanks to Air Domes the potential usage of sports facilities improve significantly, allowing the season to last all-year.


2.An Air Dome is a cost effective and popular solution in the construction of sports facilities. As they are air-supported structures, they require no supporting structure. Materials used in the manufacture of Air Domes are selected specifically for each project after consideration of the installation site, weather conditions and intended use.



潍坊飞翔环境工程有限公司
Weifang Feixiang Environmental Engineering Co., Ltd.



框架图constructure profile





工业仓储篷房 Industrial storage tent



婚礼篷房 Wedding Tent / Marquee



体育赛事篷房 Sports Event Tent



展会篷房 Exhibition Tent





墙体可选 Side wall select



ABS硬体墙 ABS hard wall



彩钢复合板 Color steel composite



玻璃墙 Glass wall



双开玻璃门 Double glass door




卷闸门 Rolling shutter



透明PVC窗户 Transparent PVC window

可选配件 Optional accessories



顶幔围幔Lining and Curtain



地板系统Floor system




卡式木地板Cassette floor



木地板Wooden floor

灯系统Lighting system





移门Sliding doors



推拉门sliding door



防火门Fire doors



地毯Carpet



人造草坪Artificial turf



空调系统Air conditioning system



地毯Carpet



人造草坪Artificial turf



空调系统Air conditioning system



窗户可选Windows are optional

配件 Accessories



椅子Chair #1



椅子Chair #2



椅子Chair #3



椅子Chair #4



桌子Table #5



桌椅Table and Chairss #6



椅套Chair cover #7



桌布table cover #8



遮阳篷Awning



排水槽Drainage grooves



玻璃窗Glass window



舞台stage



桁架篷Truss canopy



篷房飘檐Tent eaves



全透明篷房Transparent tents



全透明篷房Transparent tents



全透明篷房Transparent tents